



Unless otherwise specified, all values are as follows: resistor values are in Ohms, i.e. 0R47, 5R6, 220, 5K6, 22K capacitor values are in Microfarads, i.e. 220p, 0u1, 2u2, 33 inductor values are in Microhenries, i.e. 0u22, 5u6, 68, 2m2		PCB Name: <i>KONSTANTER</i>			Title: KONSTANTER 0-30V 1A MAX		
		PCB Nr.: <i>6000-0021</i>			Used in: <i>Klein Netzgeraet</i>		
This drawing is our property. Duplication, unauthorized use of any kind is prohibited. Without Approval use only for inquiry.		Approval: _____ Date: <i>26-Jan-2015</i> Name: <i>GJO</i>			PCB Type: <i>FR4 1L OSM OLL 1.6mm</i> Scale: <i>SCH</i>		
		Change Index: _____ Change Notification Nr.: _____ Date: _____ Name: _____			Repl. for: <i>N/A</i> Build No.: <i>1</i>		
Drawn: _____ Modified: _____ Checked: _____ <input checked="" type="checkbox"/> Prototype <input type="checkbox"/> Production <input type="checkbox"/> BOM Done?		Drw. Type: <i>PCB SCHEMATIC</i> Prj. Nr: <i>15005G</i>			Size: A3 Rev: <i>0</i> Drw. Nr: <i>4415-0021</i>		
		File: <i>Simple_LNG.sch</i> Sheet <i>1</i> of <i>1</i>					